



STATE OF IDAHO
DEPARTMENT OF
ENVIRONMENTAL QUALITY

224 South Arthur • Pocatello, Idaho 83204-3202 • (208) 236-6160

Dirk Kempthorne, Governor
C. Stephen Allred, Director

October 25, 2000

CERTIFIED MAIL # Z 271 710 132

Gale Lim
Gale Lim Construction, Inc.
921 W. 250 S.
Blackfoot, ID 83221

RE: P-000315-^c~~p~~, Gale Lim Construction, Inc., Portable
(Portable Rock Crushing Plant, PTC No. 777-00266)

Dear Mr. Lim:

On August 11, 2000, the Department of Environmental Quality issued a Permit to Construct (PTC) with an error in the headings of the permit.

Please replace this revised version with the one you currently have.

If you have any questions regarding the terms or conditions of the enclosed permit, please contact Richard Elkins, at (208) 236-6160.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Dietrich".

Mark Dietrich
Regional Administrator
Pocatello Regional Office

DS/bm P138/6004 G:\AHM\HEISER\PTC\GALELIM000315B.LTR

Enclosures

cc:
Pocatello Regional Office
Marilyn Seymore, DEQ State Office

State of Idaho Department of Environmental Quality PERMIT TO CONSTRUCT AN AIR POLLUTION EMITTING SOURCE	PERMIT NUMBER 7 7 7 - 0 0 2 6 6 AQCR CLASS SIC [][] [S] [M] [1] [4] [4] [2] ZONE UTM COORDINATE (km) [][] [][][] [] [][][][] []
--	---

1. **PERMITTEE**
 Gale Lim Construction, Inc.

2. **PROJECT**
 Portable Rock Crushing Plant

3. MAILING ADDRESS 921 West 250 South	CITY Blackfoot	STATE Idaho	ZIP CODE 83221
---	--------------------------	-----------------------	--------------------------

4. SITE LOCATION COUNTY Portable	NO. OF FULL-TIME EMPLOYEES 3	PROPERTY AREA AT SITE (Acreage) Varies
--	--	--

5. PERSON TO CONTACT Gale Lim	TITLE President	TELEPHONE (208) 684-9299
---	---------------------------	------------------------------------

6. **EXACT PLANT LOCATION**
 Portable

7. **GENERAL NATURE OF BUSINESS & KINDS OF PRODUCTS**
 Rock Crushing (Including Aggregate, Asphalt, and Concrete Production when Collocated)

8. GENERAL CONDITIONS

This permit is issued according to the *Rules for the Control of Air Pollution in Idaho*, Section 58.01.01.200, and pertains only to emissions of air contaminants that are regulated by the State of Idaho and to the sources specifically allowed to be constructed by this permit.

This permit (a) does not affect the title of the premises upon which the equipment is to be located, (b) does not release the Permittee from any liability for any loss due to damage to person or property caused by, resulting from, or arising out of the design, installation, maintenance, or operation of the proposed equipment, (c) does not release the Permittee from compliance with other applicable federal, state, tribal, or local laws, regulations, or ordinances, (d) in no manner implies or suggests that the Idaho Department of Health and Welfare, Division of Environmental Quality (DEQ) or its officers, agents, or employees, assumes any liability, directly or indirectly, for any loss due to damage to person or property caused by, resulting from, or arising out of design, installation, maintenance, or operation of the proposed equipment.

This permit is not transferable to another person, place, piece or set of equipment. This permit will expire if construction has not begun within two years of its issue date or if construction is suspended for one year.

This permit has been granted on the basis of design information presented with its application. Changes of design or equipment that result in any change in the nature or amount of emissions must be approved in advance by DEQ unless exempted by the *Rules for the Control of Air Pollution in Idaho* Sections 220 through 225.

Tiffany Boyd For MARK DIETRICH
REGIONAL ADMINISTRATOR, POCATELLO REGIONAL OFFICE **DATE: August 11, 2000**
DEPARTMENT OF ENVIRONMENTAL QUALITY

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

PERMIT NUMBER

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

777 - 00266

SOURCE

Portable Rock Crusher

A. STATEWIDE REQUIREMENTS

The Permittee shall comply with the following sourcewide conditions when the rock crushing facility is operated anywhere (nonattainment, attainment, or unclassifiable areas) within the state of Idaho.

A.1 EMISSION LIMITS

A.1.1 Crusher Opacity Limit

Particulate matter (PM) emissions from portable rock crushers shall not exhibit more than fifteen percent (15%) opacity. Opacity shall be determined using the procedures specified in IDAPA 58.01.01.625 (*Rules for the Control of Air Pollution in Idaho*).

A.1.2 Transfer Point Opacity Limit

PM emissions from any transfer point on belt conveyors, or from each grinding mill, screening operation, bucket elevator, belt conveyor bagging operation, storage bin, enclosed truck, or rail car loading station shall not exhibit greater than ten percent (10%) opacity. Opacity shall be determined using the procedures specified in IDAPA 58.01.01.625.

A.1.3 Opacity Limit

Emissions emanating from any stack, vent, or other functionally equivalent opening, shall not exceed twenty percent (20%) opacity for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period as required in IDAPA 58.01.01.625. Opacity shall be determined using the procedures contained in IDAPA 58.01.01.625.

A.1.4 Visible Emission Limits at Property Boundary

Fugitive emissions shall not be observed leaving the property boundary for a period or periods aggregating more than three (3) minutes in any sixty (60) minute period. Visible emissions shall be determined by Method 22, as described in 40 CFR Part 60, Appendix A, or a DEQ-approved alternative method.

A.2 OPERATING REQUIREMENTS

A.2.1 Number of Crushers and Generators

The rock crushing facility shall not use more than four (4) crushers and one (1) 945-kilowatt (945-kW) generator(s).

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

PERMIT NUMBER

7 7 7 - 0 0 2 6 6

SOURCE

Portable Rock Crusher

A.2.2 Reasonable Control of Fugitive Emissions

All reasonable precautions shall be taken to prevent PM from becoming airborne as required in IDAPA 58.01.01.651. In determining what is reasonable, considerations will be given to factors such as the proximity of dust-emitting operations to human habitations and/or activities and atmospheric conditions which might affect the movement of PM. Some of the reasonable precautions include, but are not limited to, the following:

- A.2.2.1 Use, where practical, of water or chemicals for control of dust in the demolition of existing buildings or structures, construction operations, the grading of roads, or the clearing of lands;
- A.2.2.2 Application, where practical, of asphalt, water, or suitable chemicals to dirt roads, material stockpiles, and other surfaces which can create dust;
- A.2.2.3 Installation and use, where practical, of hoods, fans, and fabric filters or equivalent systems to enclose and vent the handling of dusty materials. Adequate containment methods should be employed during sandblasting or other operations;
- A.2.2.4 Covering, where practical, of open-bodied trucks transporting materials likely to give rise to airborne dusts;
- A.2.2.5 Paving of roadways and their maintenance in a clean condition, where practical; or
- A.2.2.6 Prompt removal of earth or other stored material from streets, where practical.

A.2.3 Fugitive Dust Control Plan

Within sixty (60) days of issuance of the permit, the permittee shall have developed and submitted to the appropriate DEQ Regional Office a Fugitive Dust Control Plan for the crushing facility. Upon DEQ approval, the Fugitive Dust Control Plan shall become an enforceable part of this permit. This plan shall include the following information:

- A.2.3.1 Identify and list all areas of operations where fugitive dust may be generated (i.e., haul roads, vehicle traffic areas, storage piles, transfer points, etc.).
- A.2.3.2 For each fugitive dust source listed, identify and describe the type of control methods and procedures to be used to control fugitive emissions (i.e., application of water or chemical dust suppressants, covering open trucks transporting dusty material, paving of roadways, etc.).
- A.2.3.3 The plan shall include a log to record when each fugitive dust source is controlled and the type of control used. A sample copy of the log shall be submitted to DEQ with the Fugitive Dust Control Plan for DEQ approval.

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

PERMIT NUMBER

7 7 7 - 0 0 2 6 6

SOURCE

Portable Rock Crusher

A.3 MONITORING AND RECORDKEEPING REQUIREMENTS

A.3.1 Monitor Facility Throughput

The Permittee shall monitor and record the total throughput of aggregate to the crushing facility in tons per day (T/day) and tons per year (T/yr). The most recent two (2) years' compilation of data shall be kept on site, in a log, and shall be made available to DEQ representatives upon request.

A.3.2 Reasonable Control Measures

The Permittee shall monitor and record in a log, during operation, the periodic method(s) used to reasonably control fugitive emissions from this facility. The log shall include the type of control used (e.g., water, environmentally safe chemical dust suppressants, spray bars, screen deck covers, etc.) as well as the circumstances under which no controls are used. The most recent two (2) years' compilation of data shall be kept on site and shall be made available to DEQ representatives upon request.

A.3.3 Monitor Generator Hours of Operation

The Permittee shall monitor and record the generator's hours of operation on a monthly basis if generator hours of operation are limited in sections B, C, or D of this permit. The most recent two (2) years' compilation of data shall be kept on site, in a log, and shall be made available to DEQ representatives upon request.

A.3.4 40 CFR 60.675 Initial Performance Testing Requirements

The Permittee shall conduct a performance test on the rock crushing facility in accordance with 40 CFR 60.675, IDAPA 58.01.01.157 and General Provision F of this permit. The performance test shall be conducted to demonstrate compliance with the applicable particulate matter standards defined in 40 CFR 60.672.

If the rock crushing facility has previously conducted a performance test in accordance with 40 CFR 60.675 which demonstrates compliance with the applicable standards, then an additional performance test is not required by this Section of the permit. The Permittee shall maintain a copy of the performance test results of the most recently conducted test on this rock crushing facility. This report shall be made available to DEQ representatives upon request.

A.3.5 Visible Emissions Testing

The Permittee shall conduct a visual determination of emissions at the property boundary in accordance with IDAPA 58.01.01.157 and General Provision F of this permit.

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

PERMIT NUMBER

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

777 - 00266

SOURCE

Portable Rock Crusher

A.3.6 Fuel Sulfur Content

The sulfur content in the Number 2 fuel oil (ASTM Grade 2) shall not exceed 0.5 percent by weight as required in IDAPA 58.01.01.728.

A.4 REPORTING REQUIREMENTS

A.4.1 Performance Test Protocol

Prior to conducting any emission test, the Permittee is strongly encouraged to submit in writing to DEQ, at least thirty (30) days in advance, a performance test protocol in accordance with IDAPA 58.01.01.157.01.a.

A.4.2 Performance Test Report

In accordance with IDAPA 58.01.01.157.04, the Permittee shall submit a written report of the performance test results to DEQ within thirty (30) days of completion of the test.

A.4.3 Relocation

A.4.3.1 All existing portable equipment shall be registered. At least ten (10) days prior to relocation of any equipment covered by this permit, the Permittee shall submit a complete Portable Equipment Registration and Relocation Form (available on the DEQ website at: <http://www2.state.id.us/deq/air/air1.htm>) in accordance with IDAPA 58.01.01.500 and a scaled plot plan to:

PERF Processing Unit
Idaho DEQ - Air Quality
1410 North Hilton
Boise, Idaho 83706-1255

A.4.3.2 The Permittee may also be required to submit a Fugitive Dust Control Plan, as described in Section A.2.3, to the DEQ Regional Office in charge of the region to which the facility wishes to relocate.

A.4.4 Certification of Documents

All documents including, but not limited to, application forms for Permits to Construct, monitoring data, supporting information, requests for confidential treatment, testing reports, and compliance certifications submitted to DEQ shall contain a certification by a responsible official. The certification shall state that, based on information and belief formed after reasonable inquiry, the statements and information in the document(s) are true, accurate, and complete.

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

PERMIT NUMBER

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

7 7 7 - 0 0 2 6 6

SOURCE

Portable Rock Crusher

B. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN NOT COLLOCATED

The Permittee shall comply with the conditions in Section A of this permit and the following permit conditions when the rock crushing facility is operated in any attainment or unclassifiable areas, and when it is not collocated, within the state of Idaho.

B.1 OPERATING REQUIREMENTS

B.1.1 Facility Throughput Limits

The production rate of the rock crushing facility shall not exceed a maximum of one million three hundred forty thousand, eight hundred sixty-eight tons per any consecutive 12-month period (1,340,868 T/yr) when located in any attainment or unclassifiable area.

B.1.2 Collocation Requirements

When the rock crushing facility is to be collocated with another portable rock crushing plant, concrete batch plant, or hot-mix asphalt plant, the collocation requirements of Section C of this permit must be complied with.

B.1.3 Generator Hours of Operation

The generator shall not be operated more than seven thousand three hundred twenty-three hours per any consecutive 12-month period (7,323 hr/yr) when located in any attainment or unclassifiable area.

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

PERMIT NUMBER

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

7 7 7 - 0 0 2 6 6

SOURCE

Portable Rock Crusher

C. ATTAINMENT OR UNCLASSIFIABLE AREA REQUIREMENTS WHEN COLLOCATED

The Permittee shall comply with the conditions in Section A of this permit and the following permit conditions when the rock crushing facility is to be collocated with another portable rock crushing plant, concrete batch plant, or hot-mix asphalt plant within the state of Idaho. The rock crusher may only collocate with either one (1) portable concrete batch plant, one (1) portable hot-mix asphalt plant, or one (1) other portable rock crusher which has been permitted to specifically allow collocation.

C.1 OPERATING REQUIREMENTS

C.1.1 Collocation Areas

The rock crushing facility may collocate in attainment or unclassifiable areas only. The Permittee shall not collocate in a nonattainment area or proposed nonattainment area without obtaining a permit which specifically allows for collocation in a nonattainment area.

C.1.2 Number of Portable Sources

The rock crushing facility may only collocate with either one (1) portable concrete batch plant, one (1) portable hot-mix asphalt plant, or one (1) other portable rock crushing plant which has been permitted to specifically allow collocation.

C.1.3 Facility Throughput Limits

The production rate of the rock crushing facility shall not exceed a maximum of six hundred seventy thousand four hundred thirty four tons per any consecutive 12-month period (670,434 T/yr) when collocated with another rock crushing plant, concrete batch plant, or hot-mix asphalt plant.

C.1.4 Generator Hours of Operation

The generator shall not be operated more than three thousand six hundred sixty-two hours per consecutive 12-month period (3,662 hr/yr) when collocated with another rock crushing plant, concrete batch plant, or hot-mix asphalt plant.

DATE: August 11, 2000

**PERMIT TO CONSTRUCT
PERMITTEE, PROJECT, AND LOCATION**

PERMIT NUMBER

Gale Lim Construction, Inc.
Rock Crushing Plant
Portable

7	7	7	-	0	0	2	6	6
---	---	---	---	---	---	---	---	---

SOURCE

Portable Rock Crusher

D. NONATTAINMENT AREA REQUIREMENTS

The Permittee shall comply with the conditions in Section A of this permit and the following permit conditions whenever the rock crushing facility is operated in areas designated as nonattainment for particulate matter with an aerodynamic diameter of less than or equal to a nominal ten (10) microns (PM-10) within the state of Idaho. While operating the rock crushing facility under the conditions set forth in Section D, the rock crusher may not collocate with any other facility.

D.1 OPERATING REQUIREMENTS

D.1.1 Facility Throughput Limits

The production rate of the rock crushing facility shall not exceed a maximum of one million three hundred forty thousand, eight hundred sixty eight tons per any consecutive 12-month period (1,340,868 T/yr) when located in any PM-10 nonattainment area or proposed PM-10 nonattainment area.

D.1.2 Collocation Requirements

The rock crushing facility shall not be collocated with another portable rock crushing, concrete batch, or hot-mix asphalt plant when located in any PM-10 nonattainment area or proposed PM-10 nonattainment area.

D.1.3 Generator Hours of Operation

The generator shall not be operated more than seven thousand three hundred twenty-three hours per any consecutive 12-month period (7,323 hr/yr) when located in any PM-10 nonattainment area or proposed PM-10 nonattainment area.

DATE: August 11, 2000
