

Idaho Department of Environmental Quality Reuse Permit M-117-03

(Previous Permit No. LA-000117-02)

West Mountain Sewer and Water (hereafter "permittee") is hereby authorized to construct, install, and operate a reuse facility in accordance with (1) this permit; (2) IDAPA 58.01.17 "Recycled Water Rules"; (3) an approved plan of operation; and (4) all other applicable federal, state, and local laws, statutes, and rules. This permit is effective from the date of signature and expires on August 19, 2020.


Signature

8/19/2015
Date

Aaron Scheff
Regional Administrator
Boise Regional Office
Idaho Department of Environmental Quality

Idaho Department of Environmental Quality
Boise Regional Office
1445 North Orchard
Boise, ID 83706
208- 373-0550

This page intentionally left blank for correct double-sided printing.

Table of Contents

1. Common Acronyms/Abbreviations and Definitions	5
2. Facility Information	7
3. Compliance Schedule for Required Activities.....	9
4. Permit Limits and Conditions	12
4.1 Hydraulic Management Unit Descriptions	12
4.2 Hydraulic Loading Limits.....	12
4.3 Constituent Loading Limits	12
4.4 Management Unit Buffer Zones	13
4.5 Other Permit Limits and Conditions	13
5. Monitoring Requirements	15
5.1 Recycled Water and Supplemental Irrigation Water Sampling and Analyses	15
5.1.1 Constituent Monitoring.....	15
5.1.2 Management Unit and Other Flow Monitoring.....	15
5.2 Ground Water Monitoring	16
5.2.1 Ground Water Monitoring Point Descriptions	16
5.2.3 Ground Water Monitoring, Sampling, and Analyses	16
5.3 Soil Monitoring.....	16
5.3.1 Soil Monitoring Unit Descriptions	16
5.3.2 Soil Monitoring, Sampling, and Analyses.....	17
5.4 Crop Monitoring –	17
6. Reporting Requirements	18
6.1 Annual Report Requirements.....	18
6.1.1 Due Date.....	18
6.1.2 Required Contents	18
6.1.3 Submittals.....	19
6.2 Emergency and Noncompliance Reporting	20
7. Reserved.....	22
8. Standard Permit Conditions	22
9. General Permit Conditions.....	24
9.1 Operations	24
9.1.1 Backflow Prevention	24
9.1.2 Restricted to Premises	24
9.1.3 Health Hazards, Nuisances, and Odors Prohibited.....	25
9.1.4 Solids Management	25
9.1.5 Temporary Cessation of Operations and Closure (IDAPA 58.01.17.801).....	26
9.1.6 Plan of Operation (IDAPA 58.01.17.300.05).....	26
9.1.7 Seepage Testing Requirements (IDAPA 58.01.16.493.02.c).....	26
9.1.8 Ground Water Quality Rule (IDAPA 58.01.11).....	27
9.2 Administrative.....	27
9.2.1 Permit Modification (IDAPA 58.01.17.700).....	27
9.2.2 Permit Transferable (IDAPA 58.01.17.800)	27
9.2.3 Permit Revocation (IDAPA 58.01.17.920)	27
9.2.4 Violations (IDAPA 58.01.17.930).....	28

9.2.5	Severability	28
10.	Other Applicable Laws	29
10.1	Owner Responsibilities for Well Use and Maintenance	29
10.1.1	Well Use	29
10.1.2	Well Maintenance.....	29
10.1.3	Wells Posing a Threat to Human Health and Safety or Causing Contamination of the Ground Water Resource	29
11.	Site Maps	30
11.1	Regional Map.....	30
11.2	Site Map.....	31
11.3	Other Maps and Figures.....	32
11.3.1	WWTP Process Flow Schematic.....	32

1. Common Acronyms/Abbreviations and Definitions

ac	acre
bgs	below ground surface (groundwater depth)
cwt	a unit of weight measurement equal to 100 pounds
DEQ	Idaho Department of Environmental Quality
DEQ Guidance	DEQ Guidance for Reclamation and Reuse of Municipal and Industrial Wastewater, latest revision
Director	Director of the Idaho Department of Environmental Quality or designee unless otherwise specified
EDUs	equivalent dwelling units
EPA	Environmental Protection Agency
E_i	irrigation efficiency
FM	flow measurement or monitoring description or identifier
GW	prefix for ground water reporting serial number
IDAPA	Idaho Administrative Procedures Act
IDWR	Idaho Department of Water Resources
IWR	irrigation water requirement - any combination of wastewater and supplemental irrigation water applied at rates commensurate to the moisture requirements of the crop, and calculated monthly during the growing season (GS). The equation used to calculate the IWR is: $IWR = P_{def} / E_i$
lb	pounds
LG	prefix for lagoon reporting serial number
MG	million gallons
MGD	million gallons per day
mg/kg	milligram per kilogram
mg/L	milligram per liter
MU	prefix for management unit reporting environmental serial number
NPDES	National Pollutant Discharge Elimination System
NTU	nephelometric turbidity unit
P_{def}	precipitation deficit - is synonymous with the net irrigation water requirement of the crop and for the purposes of this permit can be found at the following website http://data.kimberly.uidaho.edu/ETIdaho/
PO	plan of operation

QAPP	quality assurance project plan
Responsible Official	is the facility contact person authorized by the permittee to communicate with DEQ on behalf of the permittee on any matter related to the permit, including without limitation, the authority to communicate with and receive notices from DEQ regarding notices of violation or non-compliance, permit violations, permit enforcement, and permit revocation. The Responsible Official is also responsible for providing written certification of permit application materials, annual report submittals, and other information submitted to DEQ as required by the permit. Any notice to or communication with the Responsible Official is considered a notice to or communication with the permittee. The Responsible Official may designate an Authorized Representative to act as the facility contact person for any of the activities or duties related to the permit, except signing and certifying the permit application, which must be done by the Responsible Official. The Authorized Representative shall act as the Responsible Official and shall bind the permittee as described in this definition. Designation of the Authorized Representative shall follow the requirements specified in Section 6.1.3 of the permit.
SI	prefix for supplemental irrigation water reporting serial number
SU	prefix for soil monitoring unit reporting serial number
SW	prefix for surface water reporting serial number
TMDL	Total Maximum Daily Load
WW	prefix for wastewater reporting serial number
WWTP	Wastewater treatment plant

2. Facility Information

Information Type	Information Specific to This Permit
Type(s) of recycled water	Class C Municipal Recycled Water
Method of treatment	Primary screening; aerated lagoons; chlorination
Method of reuse	Slow rate land application during growing season
For public municipal systems, specify the collection and treatment system classification. See IDAPA 58.01.16.202.01.a.	Class I (treatment and collection) Private Municipal Wastewater Treatment Plant
Facility location	Blackhawk On The River Subdivision 63 Fawnlilly Dr. McCall, Idaho 83638 Valley County Approximately 3 miles southwest of McCall. Township 18N, Range 2E, Section 25, NESE
Facility mailing address	West Mountain Sewer and Water c/o ISRCapital 1112 W. Main Street, Suite 101 Boise, ID 83702
Facility responsible official and authorized representative	Responsible Official: Sima Muroff President West Mountain Water and Sewer, Inc. c/o ISRCapital 1112 W. Main Street, Suite 101 Boise, ID 83702 Phone: (800) 290-4772 Email: Sima@ISRCapital.com Authorized Representative: Greg Hildebrand Environmental Permitting Manager ISRCapital 1112 W. Main Street, Suite 101 Boise, ID 83702 Phone: (800) 290-4772 (208) 761-5121 (cell) Email: Greg@ISRCapital.com Notify DEQ within 30 days if there is a change in personnel for any of the above facility contacts. A minor permit modification will be issued by DEQ to confirm the change

Ground water	Beneficial Uses: Drinking Water, Irrigation Water
Surface water	Unnamed drainage through site Wetlands area to the west 5.9 acre constructed pond in the development North Fork of Payette River, 1,100 ft to the southeast of the site (HUC 17050123, Unit SW-16) Beneficial Uses: North Fork of the Payette River: Coldwater Aquatic Life, Salmon Spawning, Primary Contact Recreation, Domestic Water Supply

3. Compliance Schedule for Required Activities

Compliance Activity (CA) Number and Completion Due Date	Compliance Activity Description
<p>CA-117-01 Sludge management plan and irrigation management and scheduling plan is due within six (6) months after the permit issuance date</p>	<p>Plan of Operation: The Plan of Operation (PO) for the wastewater treatment and reuse facilities, incorporating the requirements of this permit, shall include the following site management and operation plans:</p> <ol style="list-style-type: none"> 1. Operation and Maintenance Manual (O&M Manual) (current as of the date of permit issuance) 2. Runoff management plan (current as of the date of permit issuance) 3. Sludge management plan 4. Irrigation management and scheduling plan <p>The sludge management plan and irrigation management and scheduling plan shall be submitted to DEQ for review and approval within six months after the permit issuance date.</p> <p>The PO shall comply with the applicable requirements stated in IDAPA 58.01.17.300.05 and shall address applicable items in the Plan of Operation Checklist in the DEQ Reuse Guidance.</p> <p>The permittee, at its discretion, may incorporate the site management and operation plans into a single PO document, or each site management and operation plan may be maintained as a separate document.</p> <p>The PO and site management and operation plans shall be updated as needed to reflect current operations. The permittee shall notify DEQ of material changes to the PO and copies shall be kept on site and made available to DEQ upon request.</p>
<p>CA-117-02 Amendments to the QAPP for soil monitoring, and other amendments, (if necessary), are due within six (6) months after the permit issuance date.</p>	<p>Quality Assurance Project Plan (QAPP): The permittee shall maintain and implement the QAPP in the OMM.</p> <p>The permittee shall amend the QAPP to assist in planning for the collection, analysis, and reporting of the soil monitoring required in Section 5.3 within six months after the permit issuance date.</p> <p>The permittee shall also amend the QAPP to adhere to the recommendations and references in the Quality Assurance and Data Processing sections of the DEQ Reuse Guidance, if necessary.</p> <p>The amended QAPP shall be submitted to DEQ for review.</p> <p>The permittee shall amend the QAPP whenever there is a modification in sample collection, sample analysis, or other procedure addressed by the QAPP. The permittee shall notify DEQ of material changes to the QAPP and copies shall be kept on site and made available to DEQ upon request.</p>

Compliance Activity (CA) Number and Completion Due Date	Compliance Activity Description										
CA-117-03 Twelve (12) months after the date of permit issuance	<p>Install New Influent Flowmeter: The permittee shall install a new influent flowmeter, with all necessary appurtenances to make it operational, in the Influent Flowmeter Manhole (FM-11701). Plans and specifications must be submitted to DEQ for review and approval prior to any construction, as required by IDAPA 58.01.16, and IDAPA 58.01.17. This must be completed within 12 months of the date of permit issuance.</p>										
CA-117-04 Eighteen (18) months after the date of permit issuance	<p>Install New Recycled Water Flowmeter: The permittee shall install a new recycled water flowmeter, with all necessary appurtenances to make it operational, to replace the existing recycled water flowmeter in the irrigation pump discharge piping in the Irrigation Pump Building (FM-11702). Plans and specifications must be submitted to DEQ for review and approval prior to any construction, as required by IDAPA 58.01.16, and IDAPA 58.01.17. This must be completed within 18 months of the date of permit issuance.</p>										
CA-117-05 Nine (9) months after the date of permit issuance	<p>Install an Air Vacuum Valve in Irrigation Pump Discharge: The permittee shall install an air vacuum valve, and all appurtenances to make it operational, in the irrigation pump discharge piping in the Irrigation Pump Building. Alternatively, construct some other acceptable method to eliminate siphoning of recycled water from the chlorine contact into the irrigation system. Plans and specifications must be submitted to DEQ for review and approval prior to any construction, as required by IDAPA 58.01.16, and IDAPA 58.01.17. This must be completed within nine months of the date of permit issuance.</p>										
CA-117-06 As specified	<p>Lagoon Seepage Testing: The following table shows the date by which the permittee shall complete seepage testing on the specified lagoons:</p> <table border="1" data-bbox="467 1178 1385 1377"> <thead> <tr> <th>Lagoon:</th> <th>Seepage Test Due Date:</th> </tr> </thead> <tbody> <tr> <td>LG-11701 (Aerobic Treatment Lagoon No. 1)</td> <td>6/2016</td> </tr> <tr> <td>LG-11702 (Aerobic Treatment Lagoon No. 2)</td> <td>7/2018</td> </tr> <tr> <td>LG-11703 (Storage Lagoon No.3)</td> <td>2/2016</td> </tr> <tr> <td>LG-11704 (Storage Lagoon No.4)</td> <td>10/2016</td> </tr> </tbody> </table> <p>Submit to DEQ for review and approval a proposed schedule and procedure for performing the required seepage tests at least 42 days prior to the planned seepage test. Guidance for developing seepage test procedures are available at: http://www.deq.idaho.gov/water-quality/wastewater/lagoon-seepage-testing.aspx The seepage test procedures shall be sealed by the Idaho licensed professional engineer or professional geologist in responsible charge for the test.</p> <p>Seepage tests shall be completed in accordance with the procedures approved by DEQ. The seepage test report shall be sealed by the person in responsible charge and submitted within 90 days after completion of the seepage test.</p>	Lagoon:	Seepage Test Due Date:	LG-11701 (Aerobic Treatment Lagoon No. 1)	6/2016	LG-11702 (Aerobic Treatment Lagoon No. 2)	7/2018	LG-11703 (Storage Lagoon No.3)	2/2016	LG-11704 (Storage Lagoon No.4)	10/2016
Lagoon:	Seepage Test Due Date:										
LG-11701 (Aerobic Treatment Lagoon No. 1)	6/2016										
LG-11702 (Aerobic Treatment Lagoon No. 2)	7/2018										
LG-11703 (Storage Lagoon No.3)	2/2016										
LG-11704 (Storage Lagoon No.4)	10/2016										

Compliance Activity (CA) Number and Completion Due Date	Compliance Activity Description
CA-117-07 As specified	<p>Irrigation Plan for unirrigated portion of land application acreage: The permittee shall submit to DEQ a plan for irrigation of the land application acreage of the hydraulic management unit that has not previously been irrigated with recycled water. This plan must be approved prior to commencement of irrigation of this area.</p> <p>The Irrigation Plan shall include a description of the irrigation system planned and the vegetation to be irrigated, along with the irrigation water requirement of this vegetation. The plan should include any changes that need to be incorporated into the Irrigation Management Plan (CA-117-01). A map must also be submitted showing the buffer zones, homes and other structures, public access areas, surface waters, and private, public, and monitoring wells within ¼ mile of the site, and a delineation of the land application areas.</p>
CA-117-08 Prior to connection of 124 EDUs to the WWTP	<p>The permittee shall obtain the approval of DEQ to operate Aerobic Treatment Lagoon LG-11702. Once this approval has been granted, the permittee shall design and install the necessary effluent piping from LG-11702 to provide for LG-11702 to operate alone or in parallel with LG-11701. Plans and specifications must be submitted to DEQ for review and approval prior to any construction, as required by IDAPA 58.01.16, and IDAPA 58.01.17. This compliance activity must be completed prior to connection of 124 EDUs to the WWTP.</p>
CA-117-09 As specified	<p>When the hydraulic loads to MU-11701 begin to exceed the hydraulic loading limits for the entire permitted area of 11.81 acres (see Section 4.2), the permittee shall conduct a facility planning study and prepare an update of the facility plan, last updated in 2006, to determine how to address the need for additional acreage for land application of the recycled water and submit it to DEQ for review and approval.</p>
CA-117-09 Twelve (12) months prior to the reuse permit expiration date	<p>Pre-Application Workshop: If the permittee intends to continue operating the reuse facility beyond the expiration date of this permit, the permittee shall contact DEQ and schedule a pre-application workshop to discuss the compliance status of the facility and the content required for the reuse permit application package.</p>
CA-117-10 Six (6) months prior to the reuse permit expiration date	<p>Renewal Permit Application: If the permittee intends to continue operating the reuse facility beyond the expiration date of this permit, the permittee shall submit to DEQ a complete permit renewal application package, which fulfills the requirements specified at the pre-application workshop identified in CA-117-09.</p>

4. Permit Limits and Conditions

4.1 Hydraulic Management Unit Descriptions

Serial Number	Description	Irrigation System Type and Irrigation Efficiency	Maximum Acres ^{a,b} Allowed
MU-11701	Forested area	0.70	11.81

- a. Maximum acres represent the total permitted acreage of the MU as provided by the permittee. If the permittee uses less acreage in any season or year, then loading rates shall be presented in the annual report and compliance shall be determined based on the actual acreage utilized during each season or year.
- b. The permittee shall not irrigate more than the 8.5 acres that is presently piped with irrigation piping until compliance activity CA-117-03 has been approved by DEQ.

4.2 Hydraulic Loading Limits

Serial Number	Growing Season Hydraulic Loading			Nongrowing Season Maximum Hydraulic Loading
		Inches per acre	MG per acre	
MU-11701				Not Allowed
	May	1.08	0.03	
	June	4.16	0.11	
	July	7.02	0.19	
	August	5.48	0.15	
	September	2.28	0.06	
	Growing Season Total	20.02	0.54	

4.3 Constituent Loading Limits

Serial Number	Constituent Loading (from all sources ^a)
	Nitrogen (lb/acre-year)
MU-11701	95

- a. Includes all supplemental fertilizers.

4.4 Management Unit Buffer Zones

Serial Number	Buffer Distances (in feet) from Hydraulic Management Units					
	Public Water Supplies	Private Water Supplies	Irrigation Wells	Residential Dwellings	Permanent and Intermittent Surface Water (including wetlands)	Areas Accessible to the Public
MU-11701	500	500	100	300	50	50

4.5 Other Permit Limits and Conditions

Category	Permit Limits and Conditions
Growing season	May 1 through September 30 (214 days)
Nongrowing season	October 1 through April 30 (151 days)
Reporting year for annual loading rates	October 1 through September 30
Operator certification and endorsement	The wastewater treatment facility and reuse system shall be operated by personnel certified and licensed in the State of Idaho wastewater operator training program at the operator class level specified in IDAPA 58.01.16.203 and properly trained to operate and maintain the system.
Maximum number of connections to the WWTP	No more than 124 EDUs shall be connected to the WWTP without prior written approval from DEQ.
Total coliform limit in recycled water	The median number of total coliform organisms does not exceed 23 total coliform organisms/100 ml, as determined from the bacteriological results of the last five (5) days for which analyses have been completed. No sample shall exceed 230 total coliform organisms/100 ml in any confirmed sample
Grazing	Grazing is not allowed. Unless, prior to grazing, the permittee shall submit a grazing management plan and receive written approval from DEQ. The grazing management plan shall be included in the PO.
Posting	Signs shall read "Warning: Recycled Water—Do Not Enter," or equivalent signage both in English and Spanish. Signs to be posted every 500 feet and at each corner of the outer perimeter of the irrigated site. Signs are required where management unit border areas are accessible to the public.
Fencing	Three wire fencing shall be required around the perimeter of the irrigated sight with a minimum buffer of 50 ft between it and where the recycled water is applied.

Category	Permit Limits and Conditions
Construction plans	Pursuant to Idaho Code §39-118, IDAPA 58.01.16, and IDAPA 58.01.17, detailed plans and specifications shall be submitted to DEQ for review and approval prior to construction, modification, or expansion of any wastewater treatment, storage, conveyance structures, ground water monitoring wells, or reuse facility. Inspection requirements shall be satisfied and within 30 days of completion of construction and the permittee shall submit as-built plans or a letter from an Idaho Professional Engineer certifying the facilities or structures were constructed in substantial accordance with the approved plans and specifications.
Flow measurement calibration/verification	Flow measurement devices used to directly or indirectly measure wastewater and supplemental irrigation water flows applied to each management unit shall be calibrated or verified in accordance with the device manufacturer's specifications and with the permittee's QAPP or PO.
Backflow prevention and testing requirements	Backflow prevention is required to protect surface water and ground water from an unauthorized discharge of recycled water or wastewater. Refer to section 9.1.1 of this permit.
Records retention requirements	Keep records generated to meet the requirements of this permit for the duration of permit, including administrative extensions, plus 2 years.

5. Monitoring Requirements

5.1 Recycled Water and Supplemental Irrigation Water Sampling and Analyses

5.1.1 Constituent Monitoring

Monitoring Point Serial Number and Location	Sample Description	Sample Type and Frequency	Constituents (Units in mg/L Unless Otherwise Specified)
WW-11701 WWTP Influent Flow Splitter Box	Influent wastewater	Monthly grab sample	<ul style="list-style-type: none"> - Biochemical Oxygen Demand (BOD₅) - Total Kjeldahl Nitrogen (TKN) - Ammonia-Nitrogen - Nitrate+Nitrite-Nitrogen - Total Phosphorus (TP) - pH (standard units)
WW-11702 Control Structure No. 1	Aerobic Treatment Lagoon effluent	Monthly grab sample	<ul style="list-style-type: none"> - Biochemical Oxygen Demand (BOD₅) - Total Kjeldahl Nitrogen (TKN) - Ammonia-Nitrogen - Nitrate+Nitrite-Nitrogen - Total Phosphorus (TP) - pH (standard units)
WW-11703 Irrigation pump discharge	Recycled water	Monthly grab sample, when land applying	<ul style="list-style-type: none"> - Biochemical Oxygen Demand (BOD₅) - Total Kjeldahl Nitrogen (TKN) - Ammonia-Nitrogen - Nitrate+Nitrite-Nitrogen - Total Phosphorus (TP) - pH (standard units)
WW-11703 Irrigation pump discharge	Recycled water	Weekly grab sample, when land applying	<ul style="list-style-type: none"> - Total coliform (total coliform organisms/100 mL) - Total chlorine residual

5.1.2 Management Unit and Other Flow Monitoring

Management Unit or Flow Measurement Serial Number and Location	Sample Description	Sample Type and Frequency	Measured Parameters, each MU
FM-11701 WWTP Influent Flowmeter Manhole	Influent wastewater flow	<ul style="list-style-type: none"> - Continuously reading flowmeter - Daily compilation of data 	<ul style="list-style-type: none"> - Volume (MGD, MG/month, MG/annually)

Management Unit or Flow Measurement Serial Number and Location	Sample Description	Sample Type and Frequency	Measured Parameters, each MU
FM-11702 Irrigation Pump discharge	Recycled Water flow	- Continuously reading flowmeter - Monthly compilation of data, when land applying	- Volume (MGD, MG/month, MG/annually)

5.2 Ground Water Monitoring

5.2.1 Ground Water Monitoring Point Descriptions

Monitoring Point Serial Number	Common Designation	Well Type	Ground Water Flow Gradient	Location / Latitude – Longitude (approximate)
GW-11701	MW-1	Monitoring well	Upgradient	40 to 50 feet north of LG-11704
GW-11702	MW-2	Monitoring well	Downgradient	Southern portion of MU-11701
GW-11703	MW-3	Monitoring well	Downgradient	Approximately 300 feet south of the south end of MU-11701
GW-11704	MW-4	Monitoring well	Downgradient	Southeast of MU-11701
GW-11705	MW-5	Monitoring well	Upgradient	60 to 70 feet southeast of the Irrigation Pump Station, just outside the fence

5.2.2 Ground Water Monitoring, Sampling, and Analyses

Monitoring Point Serial Number	Sampling Point Description	Sample Type and Frequency	Constituents (Units in mg/L Unless Otherwise Specified)
GW-11701 GW-11702 GW-11703 GW-11704 GW-11705	Monitoring wells	Unfiltered grab sample/once annually, October	- Water table elevation (feet) - Water table depth (feet) - Nitrate-nitrogen, as N - Ortho- phosphorus, as P - pH (Standard Units) - Specific conductance/electrical conductivity (µmhos/cm) - Temperature (°C)

5.3 Soil Monitoring

5.3.1 Soil Monitoring Unit Descriptions

Monitoring Point Serial Number	Description	Associated Hydraulic Management Unit
SU-11701	Forested Area	MU-11701

5.3.2 Soil Monitoring, Sampling, and Analyses

Monitoring Point Serial Number	Sample Type	Sample Frequency	Constituents (Units in mg/kg Soil Unless Otherwise Specified)
SU-11701	Composite samples ^a	Once annually, April	<ul style="list-style-type: none"> - Electrical conductivity (μmhos/cm in saturated paste extract) - Nitrate-nitrogen - Ammonium nitrogen - Plant available phosphorus - pH (standard units)
		First year (before commencement of irrigation) and last year of permit cycle	<ul style="list-style-type: none"> - DTPA Extractable Iron - DTPA Manganese - Sodium Adsorption Ratio (SAR) - % Organic Matter
		First year of permit cycle (before commencement of irrigation)	<ul style="list-style-type: none"> - Cation Exchange Capacity (CEC)

- a. The number of sample locations specified in the PO or QAPP for each SU shall be sampled. At each location, samples shall be obtained from three depths: 0–12 inches; 12–24 inches; and 24–36 inches or refusal. The samples obtained from each depth shall be composited by depth to yield three composite samples for each soil monitoring unit; one composite sample for each depth.

5.4 Crop Monitoring

Crop monitoring is not required.

6. Reporting Requirements

6.1 Annual Report Requirements

The permittee shall submit to DEQ an Annual Report prepared by a competent environmental professional covering the previous reporting year.

6.1.1 Due Date

The Annual Report is due no later than January 31 of each year, which shall cover the previous reporting year.

6.1.2 Required Contents

The Annual Report shall include the following:

1. A brief interpretive discussion of all required monitoring data. The discussion shall address data quality objectives, validation, and verification; permit compliance; and reuse facility environmental impacts. The reporting year for this permit is specified in section 4.5.
2. Results of the required monitoring as described in section 5 of this permit. If the permittee monitors any parameter for compliance purposes more frequently than required by this permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the Annual Report. The report shall present all monitoring data in organized data summary tables to expedite review.
3. Status of all work described in section 3 of this permit.
4. Results of all backflow testing, repairs, and replacements required by Section 9.1.1 of this permit.
5. Results of the annual calibration or flow verification of the flow measurement devices used to measure wastewater and supplemental irrigation water flows.
6. Discussion of major maintenance activities such as major equipment replacement, lagoon liner maintenance, and wastewater treatment and reuse facility maintenance.
7. A summary of all noncompliance events that occurred during the reporting year. Examples of noncompliance events that must be discussed include, but are not limited to: exceedance of permit limits, complaints, missed monitoring events, incorrect monitoring dates or frequencies, dry monitoring wells, uncontained spills causing runoff, construction without DEQ engineering plan approval, construction without engineering inspection, and reporting incorrect acreage.
8. Laboratory analytical reports for monitoring specified in Section 5 of the permit. Chain of custody forms, supporting information for laboratory analytical reports, and quality assurance documentation shall be available for review upon request by DEQ.
9. Submittal of the calculations and observations for the monitoring points and management units specified in the table below:

Monitoring Point Serial Number	Parameter (Calculate for each MU)	Units
MU-11701	Recycled water hydraulic loading rate at the land application site	inches/ac-month inches/ac-growing season MG/ac-month MG/ac-growing season MG/month ^a MG/growing season ^a
	Recycled water nitrogen loading rate	lb/ac-month lb/ac-growing season
	Recycled water phosphorus loading rate	lb/ac-month lb/ac-growing season
Other Reporting Requirements:	Annual declining balance of connections (i.e., EDUs to the WWTP).	
	Visual observation of field conditions: areas of ponding, ice, and unusual conditions.	

a Volume will depend on the number of acres irrigated.

6.1.3 Submittals

All applications, annual reports, or information submitted to DEQ as required by this permit shall be signed and certified as follows:

1. Permit applications shall be signed by the Responsible Official as follows:
 - a. For a corporation: by a responsible corporate officer;
 - b. For a partnership or sole proprietorship: by a general partner or the proprietor, respectively;
 - c. For a municipality, state, federal, Indian tribe, or other public agency: by either the principal executive officer, ranking elected official, or a person of decision-making authority who can legally bind the permittee with respect to the permit.
2. Annual reports and other information required by this permit shall be signed by the Responsible Official or by a duly Authorized Representative of that person. A person is a duly Authorized Representative only if:
 - a. The authorization is made in writing by the responsible official;
 - b. The authorization specifies either an individual or position having responsibility for the overall operation of the regulated facility, such as the position of plant manager, superintendent, position of equivalent responsibility, or an individual having overall responsibility for environmental matters for the company; and
 - c. The written authorization is submitted to DEQ.

Submit all applications, annual reports, and other information required by this permit to the following DEQ regional office at this address:

Engineering Manager
Idaho Department of Environmental Quality
Boise Regional Office
1445 North Orchard
Boise, ID 83706

The annual report shall include the following certification statement and be signed, dated, and certified by the permittee's Responsible Official or duly Authorized Representative:

"I certify that the information provided in this submittal was prepared in conformance with the Quality Assurance Project Plan required by permit M-117-03, and is to the best of my knowledge, true, accurate and complete and I acknowledge that knowing submission of false or incomplete information may result in permit revocation as provided for in IDAPA 58.01.17.920.01 or other enforcement action as provided for under Idaho law."

Permit applications shall include the following certification statement and be signed, dated, and certified by the permittee's Responsible Official:

"I certify that the information provided in this submittal is, to the best of my knowledge, true, accurate and complete and I acknowledge that knowing submission of false or incomplete information may result in permit revocation as provided for in IDAPA 58.01.17.920.01, non-issuance of the permit, or other enforcement action as provided for under Idaho law."

Other information submitted to DEQ as required by the permit shall include the above certification statement and be signed, dated, and certified by the permittee's Responsible Official or duly Authorized Representative.

6.2 Emergency and Noncompliance Reporting

Report noncompliance incidents to DEQ's Boise Regional Office at (208) 373-0550 / 1-888-800-3480.

In case of emergencies, call the Idaho State Communication Center emergency 24-hour number at 1-800-632-8000 or (208) 846 7610, and the DEQ Boise Regional Office.

See Section 8, "Standard Permit Conditions," and IDAPA 58.01.17.500.06 for reporting requirements for facilities.

All instances of 1) permit non-compliance, which may endanger public health or the environment, and 2) unauthorized discharges to surface waters of the State of Idaho shall be reported to the DEQ Boise Regional Office by telephone within 24 hours from the time the permittee becomes aware of the discharge at the phone numbers provided in this section.

A written follow-up shall be provided to the DEQ Boise Regional Office within 5 days from the time the permittee became aware of the permit non-compliance or unauthorized discharge.

Reporting of unauthorized discharges to surface waters of the United States to the Environmental Protection Agency (EPA) may also be required. Contact information for EPA is provided below:

EPA Contact Information:

NPDES/Stormwater Coordinator, USEPA Idaho Operations Office

950 W. Bannock, Suite 900

Boise, ID 83702

(208) 378-5746 / (208) 378-5744 and EPA Hot Line (206) 553-1846

7. Reserved

8. Standard Permit Conditions

The following standard permit conditions are included as terms of this permit as required by the "Recycled Water Rules," (IDAPA 58.01.17.500).

500. STANDARD PERMIT CONDITIONS.

The following conditions shall apply to and be included in all permits. (4-1-88)

- 01. Compliance Required.** The permittee shall comply with all conditions of the permit. (4-1-88)
- 02. Renewal Responsibilities.** If the permittee intends to continue operation of the permitted facility after the expiration of an existing permit, the permittee shall apply for a new permit in accordance with these rules. (4-1-88)
- 03. Operation of Facilities.** The permittee shall at all times properly maintain and operate all structures, systems, and equipment for treatment, control and monitoring, which are installed or used by the permittee to achieve compliance with the permit or these rules. (4-1-88)
- 04. Provide Information.** The permittee shall furnish to the Director within a reasonable time, any information including copies of records, which may be requested by the Director to determine whether cause exists for modifying, revoking, re-issuing, or terminating the permit, or to determine compliance with the permit or these rules. (4-1-88)
- 05. Entry and Access.** The permittee shall allow the Director, consistent with Title 39, Chapter 1, Idaho Code, to:
 - a.** Enter the permitted facility. (4-1-88)
 - b.** Inspect any records that must be kept under the conditions of the permit. (4-1-88)
 - c.** Inspect any facility, equipment, practice, or operation permitted or required by the permit. (4-1-88)
 - d.** Sample or monitor for the purpose of assuring permit compliance, any substance or any parameter at the facility. (4-1-88)
- 06. Reporting.** The permittee shall report to the Director under the circumstances and in the manner specified in this section: (4-1-88)
 - a.** In writing at least thirty (30) days before any planned physical alteration or addition to the permitted facility or activity if that alteration or addition would result in any significant change in information that was submitted during the permit application process. When the alteration or addition results in a need for a major modification, such alteration or addition shall not be made prior to Department approval issued in accordance with these rules. (4-7-11)
 - b.** In writing thirty (30) days before any anticipated change which would result in noncompliance with any permit condition or these rules. (4-1-88)
 - c.** Orally within twenty-four (24) hours from the time the permittee became aware of any noncompliance which may endanger the public health or the environment at telephone numbers provided in the permit by the Director. (4-1-88)

d. In writing as soon as possible but within five (5) days of the date the permittee knows or should know of any noncompliance unless extended by the Department. This report shall contain: (4-1-88)

i. A description of the noncompliance and its cause; (4-1-88)

ii. The period of noncompliance including to the extent possible, times and dates and, if the noncompliance has not been corrected, the anticipated length of time it is expected to continue; and (4-7-11)

iii. Steps taken or planned, including timelines, to reduce or eliminate the continuance or reoccurrence of the noncompliance. (4-7-11)

e. In writing as soon as possible after the permittee becomes aware of relevant facts not submitted or incorrect information submitted, in a permit application or any report to the Director. Those facts or the correct information shall be included as a part of this report. (4-1-88)

07. Minimize Impacts. The permittee shall take all necessary actions to eliminate and correct any adverse impact on the public health or the environment resulting from permit noncompliance. (4-1-88)

08. Compliance with “Ground Water Quality Rule.” Permits issued pursuant to these rules shall require compliance with IDAPA 58.01.11, “Ground Water Quality Rule.” (4-7-11)

9. General Permit Conditions

The following general permit conditions are based on the cited rules at the time of issuance and are enforceable as part of this permit. Note that the rules cited in this section, and elsewhere in this permit, are supplemented by the rules themselves. Rules applicable to your facility are enforceable whether or not they appear in this permit.

9.1 Operations

9.1.1 Backflow Prevention

Reuse facilities with existing or planned cross-connections or interconnections between the recycled water system and any water supply (potable or nonpotable) or surface water, shall have backflow prevention assemblies, devices, or methods as required by applicable rule or as specified in this permit and approved by DEQ.

For public water systems, backflow assemblies shall meet the requirements of IDAPA 58.01.08.543. Assemblies shall be adequately maintained and shall be tested annually by a certified backflow assembly tester, and repaired or replaced as necessary to maintain operational status.

For domestic water supply wells, backflow prevention devices shall meet the requirements of IDAPA 07.02.04 and shall be adequately operated and maintained.

Irrigation water supply wells shall meet the requirements of IDAPA 37.03.09.36 for preventing any waste or contamination of the ground water resource. Backflow prevention assemblies or devices used to protect the ground water shall be adequately operated and maintained.

Discharge of recycled water to surface water is regulated by the EPA NPDES program. An NPDES permit is required for any discharge to surface water and backflow prevention shall be implemented to prevent any unauthorized discharge. Backflow prevention assemblies or devices used to protect surface water shall be adequately operated and maintained.

Records of all testable backflow assembly test results, repairs, and replacements shall be kept at the reuse facility along with other operational records, and shall be discussed in the Annual Report and made available for inspection by DEQ. Other approved means of backflow prevention, such as siphons and air-gap structures that cannot be tested, shall be maintained in operable order.

9.1.2 Restricted to Premises

Wastewaters or recharge waters applied to the land surface must be restricted to the premises of the application site. Wastewater discharges to surface water that require a permit under the Clean Water Act must be authorized by the United States Environmental Protection Agency (IDAPA 58.01.16.600.02).

9.1.3 Health Hazards, Nuisances, and Odors Prohibited

Health hazards, nuisances, and odors are prohibited as follows:

- Wastewater must not create a public health hazard or nuisance condition (IDAPA 58.01.16.600.03).
- No person shall allow, suffer, cause or permit the emission of odorous gases, liquids, or solids into the atmosphere in such quantities as to cause air pollution (IDAPA 58.01.01.776.01).
- Air Pollution. The presence in the outdoor atmosphere of any air pollutant or combination thereof in such quantity of such nature and duration and under such conditions as would be injurious to human health or welfare, to animal or plant life, or to property, or to interfere unreasonably with the enjoyment of life or property (IDAPA 58.01.01.006.06).

9.1.4 Solids Management

Biosolids are the nutrient-rich organic materials resulting from the treatment of sewage sludge. When treated and processed, sewage sludge becomes biosolids which can be safely recycled and applied as fertilizer to sustainably improve and maintain productive soils and stimulate plant growth.

Biosolids generated from sewage sludge are regulated by EPA under 40 CFR Part 503 and require a DEQ approved sludge disposal plan as outlined in IDAPA 58.01.16.650. Contact DEQ prior to application of biosolids at any permitted reuse facility.

Sludge is the semi-liquid mass produced and removed by wastewater treatment processes. This does not include grit, garbage, and large solids.

Sludge may be generated by wastewater treatment processes at municipal and industrial facilities. A DEQ-approved sludge disposal plan, as outlined in IDAPA 58.01.16.650, may be required.

Solid Waste is any garbage or refuse, sludge from a waste water treatment plant, water supply treatment plant, or air pollution control facility and other discarded material including solid, liquid, semi-solid, or contained gaseous material resulting from industrial, commercial, mining, and agricultural operations and from community activities, but does not include solid or dissolved materials in domestic sewage, or solid or dissolved material in irrigation return flows or industrial discharges which are point sources subject to permits under Section 402 of the Federal Water Pollution Control Act, as amended or source, special nuclear, or by-product material as defined by the Atomic Energy Act of 1954, as amended.

Solid waste does not include inert wastes, manures and crop residues ultimately returned to the soils at agronomic rates, and any agricultural solid waste which is managed and regulated pursuant to rules adopted by the Idaho Department of Agriculture. DEQ reserves the right to use existing authorities to regulate agricultural waste that impacts human health or the environment.

Solid waste is regulated under IDAPA 58.01.06, "Solid Waste Management Rules. Wastes otherwise regulated by DEQ (i.e. this permit) are not regulated under 58.01.06.

Waste Solids include sludge and wastes otherwise regulated by DEQ in accordance with IDAPA 58.01.06.001.03.a.xii. Waste solids may include vegetative waste, silt and mud containing organic matter, and other non-inert solid wastes.

Inert wastes are defined as non-combustible, nonhazardous, and non-putrescible solid wastes that are likely to retain their physical and chemical structure and have a de minimis potential to generate leachate under expected conditions of disposal, which includes resistance to biological attack.

Waste solids require a DEQ approved sludge disposal plan as outlined in IDAPA 58.01.16.650.

9.1.5 Temporary Cessation of Operations and Closure (IDAPA 58.01.17.801)

Temporary cessation of operations and closure must be addressed as follows:

01. Temporary Cessation. A permittee shall implement any applicable conditions specified in the permit for temporary cessation of operations. When the permit does not specify applicable temporary cessation conditions, the permittee shall notify the Director prior to a temporary cessation of operations at the facility greater than sixty (60) days in duration and any cessation not for regular maintenance or repair. Cessation of operations necessary for regular maintenance or repair of a duration of sixty (60) days or less are not required to notify the Department under this section. All notifications required under this section shall include a proposed temporary cessation plan that will ensure the cessation of operations will not pose a threat to human health or the environment. (4-7-11)

02. Closure. A closure plan shall be required when a facility is closed voluntarily and when a permit is revoked or expires. A permittee shall implement any applicable conditions specified in the permit for closure of the facility. Unless otherwise directed by the terms of the permit or by the Director, the permittee shall submit a closure plan to the Director for approval at least ninety (90) days prior to ceasing operations. The closure plan shall ensure that the closed facility will not pose a threat to human health and the environment. Closure plan approval may be conditioned upon a permittee's agreement to complete such site investigations, monitoring, and any necessary remediation activities that may be required. (4-7-11)

9.1.6 Plan of Operation (IDAPA 58.01.17.300.05)

The PO must comply with the following:

05. Reuse Facility Operation and Maintenance Manual or Plan of Operations. A facility's operation and maintenance manual must contain all system components relating to the reuse facility in order to comply with IDAPA 58.01.16 "Wastewater Rules," Section 425. Manuals and manual amendments are subject to the review and approval provision therein. In addition to the content required by IDAPA 58.01.16.425, manuals for reuse facilities shall include, if applicable: operation and management responsibility, permits and standards, general plant description, operation and control of unit operations, land application site maps, wastewater characterization, cropping plan, hydraulic loading rate, constituent loading rates, compliance activities, seepage rate testing, site management plans, monitoring, site operations and maintenance, solids handling and processing, laboratory testing, general maintenance, records and reports, store room and inventory, personnel, an emergency operating plan, and any other information required by the Department. (4-7-11)

9.1.7 Seepage Testing Requirements (IDAPA 58.01.16.493.02.c)

Subsequent Tests. All lagoons covered under these rules must be seepage tested by an Idaho licensed professional engineer, an Idaho licensed professional geologist, or by individuals under their supervision every ten (10) years after the initial testing. (5-8-09)

9.1.8 Ground Water Quality Rule (IDAPA 58.01.11)

The permittee shall comply with the requirements of “Ground Water Quality Rule” (IDAPA 58.01.11).

9.2 Administrative

Requirements for administration of the permit are defined as follows.

9.2.1 Permit Modification (IDAPA 58.01.17.700)

01. Modification of Permits. A permit modification may be initiated by the receipt of a request for modification from the permittee, or may be initiated by the Department if one (1) or more of the following causes for modification exist: (4-7-11)

a. Alterations. There are material and substantial alterations or additions to the permitted facility or activity which occurred after permit issuance which justify the application of permit conditions that are different or absent in the existing permit. (4-7-11)

b. New standards or regulations. The standards or regulations on which the permit was based have been changed by promulgation of amended standards or regulations or by judicial decision after the permit was issued. (4-7-11)

c. Compliance schedules. The Department determines good cause exists for modification of a compliance schedule or terms and conditions of a permit. (4-7-11)

d. Non-limited pollutants. When the level of discharge of any pollutant which is not limited in the permit exceeds the level which may cause an adverse impact to surface or ground waters. (4-7-11)

e. To correct technical mistakes, such as errors in calculation, or mistaken interpretations of law made in determining permit conditions. (4-7-11)

f. When a treatment technology proposed, installed, and properly operated and maintained by the permittee fails to achieve the requirements of the permit. (4-7-11)

9.2.2 Permit Transferable (IDAPA 58.01.17.800)

01. General. A permit may be transferred only upon approval of the Department. No transfer is required for a corporate name change as long as the secretary of state can verify that a change in name alone has occurred. An attempted transfer is not effective for any purpose until approved in writing by the Department. (4-7-11)

9.2.3 Permit Revocation (IDAPA 58.01.17.920)

01. Conditions for Revocation. The Director may revoke a permit if the permittee violates any permit condition or these rules, or the Director becomes aware of any omission or misrepresentation of condition or information relied upon when issuing the permit. (4-7-11)

02. Notice of Revocation. Except in cases of emergency, the Director shall issue a written notice of intent to revoke to the permittee prior to final revocation. Revocation shall become final within thirty-five (35) days of receipt of the notice by the permittee, unless within that time the permittee requests an administrative hearing in writing. The hearing shall be conducted in accordance with IDAPA 58.01.23, Rules of Administrative Procedure

before the Board of Environmental Quality.”

(5-3-03)

03. Emergency Action. If the Director finds the public health, safety or welfare requires emergency action, the Director shall incorporate findings in support of such action in a written notice of emergency revocation issued to the permittee. Emergency revocation shall be effective upon receipt by the permittee. Thereafter, if requested by the permittee in writing, the Director shall provide the permittee a revocation hearing and prior notice thereof. Such hearings shall be conducted in accordance with IDAPA 58.01.23, Rules of Administrative Procedure Before the Board of Environmental Quality.”

(3-15-02)

04. Revocation and Closure. A permittee shall perform the closure requirements in a permit, the closure requirements of these rules, and complete all closure plan activities notwithstanding the revocation of the permit.

(4-7-11)

9.2.4 Violations (IDAPA 58.01.17.930)

Any person violating any provision of these rules or any permit or order issued thereunder shall be liable for a civil penalty not to exceed ten thousand dollars (\$10,000) or one thousand dollars (\$1,000) for each day of a continuing violation, whichever is greater. In addition, pursuant to Title 39, Chapter 1, Idaho Code, any willful or negligent violation may constitute a misdemeanor.

(4-1-88)

9.2.5 Severability

The provisions of this permit are severable, and if a provision or its application is declared invalid or unenforceable for any reason, that declaration will not affect the validity or enforceability of the remaining provisions.

10. Other Applicable Laws

DEQ may refer enforcement of the following provisions to the state agency authorized to enforce that rule. The permittee shall comply with all applicable provisions identified in this section. Compliance with this permit does not relieve the permittee from applicable requirements in other federal, state, and local laws, statutes, and rules.

10.1 Owner Responsibilities for Well Use and Maintenance

10.1.1 Well Use

The well owner must not operate any well in a manner that causes waste or contamination of the ground water resource. Failure to operate, maintain, knowingly allow the construction of any well in a manner that violates these rules, or failure to repair or properly decommission (abandon) any well as herein required will subject the well owner to civil penalties as provided by statute. See IDAPA 37.03.09.036.01 and consult the Idaho Department of Water Resources (IDWR) for more information.

10.1.2 Well Maintenance


The well owner must maintain the well to prevent waste or contamination of ground waters through leaky casings, pipes, fittings, valves, pumps, seals, or through leakage around the outside of the casings, whether the leakage is above or below the land surface. Any person owning or controlling a noncompliant well must have the well repaired by a licensed well driller under a permit issued by the IDWR director in accordance with the applicable rules. See IDAPA 37.03.09.036.02 and consult IDWR for more information.

10.1.3 Wells Posing a Threat to Human Health and Safety or Causing Contamination of the Ground Water Resource

The well owner must have any well shown to pose a threat to human health and safety or cause contamination of the ground water resource immediately repaired or decommissioned (abandoned) by a licensed well driller under a permit issued by the IDWR director in accordance with the applicable rules. See IDAPA 37.03.09.036.06 and consult the IDWR for more information.

11. Maps

11.1 Regional Map



11.2 Site Map

